

MODELS

9100/9605

CLASSIC STEEL



style. safety. variety.

Built for performance and affordability, Models 9100 and 9605 offer robust features with a variety of options at affordable prices, adding style and curb appeal to your home.

These doors are chosen by homeowners for their insulating value, durability, style and safety features.



PERFORMANCE FEATURES



TorqueMaster® Plus Counterbalance

is the first counterbalance system to seal springs safely within a steel tube. It contains an anti-drop feature that reduces the risk of door free fall.



Tamper-Resistant Safety Bottom Brackets

help avoid possible injury by preventing inadvertent loosening when the counterbalance cables are still under tension.



Pinch-Resistant Door Panels

are engineered with pinch-resistant design to prevent finger injuries while the door is closing.



Structural Reinforcements

Available with structural reinforcements for use in coastal regions. They meet wind load requirements of the International Building Code, Florida Building Code and Texas Dept. of Insurance.



High Cycle Spring Option

Choose a 25,000 cycle spring for almost twice the life of a standard torsion spring.



Horizontal Integral Struts

at the top and bottom of door sections adds rigidity and strength for long life and smooth operation.



Thermal Efficiency

Foamed in place polyurethane insulation* can improve your home's thermal efficiency, reduce street noise and make the door operate more quietly.



Warranty

Limited Lifetime Warranty against cracking or splitting due to rust-through and against degradation of the foam insulation. See full warranty for complete details.

^{*}Polyurethane insulation provides superior insulation value and thermal efficiency compared to polystyrene.


9100/9605 Model Comparison

| | MODEL 9100 | MODEL 9605 |
|-------------------|---|---|
| Door construction | 3-layer construction Steel/Polyurethane/ Toughgard™ backer | 3-layer construction Steel/ Polyurethane/Steel |
| Insulation | Foamed-in-place polyurethane with R-value of 9* | Foamed-in-place polyurethane with R-value up to 10* |
| Wind load models | Available | Available |
| Warranty | Limited Lifetime | Limited Lifetime |


^{*}R-value of 9 for 7' tall doors; R-value of 10 for 8' tall doors. Wayne Dalton uses a calculated door section R-value for our insulated doors.

1 Choose Your Style

Doors shown are 8'x7'. Other sizes may have different panel configurations. See dealer for details.



Contemporary



2 Choose Your Color

Paint finishes

Sonoma Ranch



Almond











Model 9605 is available with the TruChoice® Color System, Wayne Dalton's custom painting process that offers more than 6,000 colors. See dealer for details.

Actual colors may vary from brochure due to fluctuations in the printing process. Always request a color sample from your dealer for accurate color matching.

3 Choose Your Windows

For Colonial and Contemporary Panels



Cascade I



Cathedral II*



Prairie I



Stockbridge*



Arched Stockton*



Williamsburg I



Cascade II*



Clear I



Prairie II*



Stockton I



Waterton I



Williamsburg II*



Cascade III**



Clear II*



Sherwood I



Stockton II*



**Contemporary panel only

Waterton II*



Cathedral I



Clear III**



Sherwood II*



Stockton III**



Waterton III**



For Sonoma Panels



Cascade I



Clear III



Arched Stockton



Cascade III



Stockbridge



Waterton I



Cathedral I



Stockton I



Waterton III



Clear I



Stockton III

For Ranch Panels



Cascade II



Sherwood II



Waterton II



Cathedral II



Stockbridge



Williamsburg II



Clear II



Stockton II



Prairie II



Arched Stockton

For Sonoma Ranch and Model 9605 Colonial and Contemporary Panels



Ashton IV



Cathedral IV



Cascade IV



Clear IV



Ruston IV



Sherwood IV



Stockbridge IV (3-Lite)



Stockbridge IV (4-Lite)



Stockford IV



Stockton IV (4-Lite)



Stockton IV (6-Lite)



Stockton IV (8-Lite)



Stockton IV (8-Lite Arched)



Stockton IV (12-Lite)



Arched Stockton IV



Waterton IV







Wyndbridge IV

Williamsburg IV Williamsburg IV Single Arch, Double Car

Not all windows are available in all sizes or in all areas. Some windows are special order. Check with your Wayne Dalton dealer for details.

The following windows are available for double car doors









Glass Options









Clear

Gray Tinted

Satin Etched Privacy

Obscure

Optional window placement (Model 9605 only)





Clear I or Clear III windows may be arranged vertically or horizontally on Colonial, Ranch and Contemporary panels. Windows placed in the bottom section of a door must use DSB 1/8" or tempered glass.

Contemporary panel, White finish with Clear III windows.



Choose Your Hardware











Arrow

Spear

Fleur De Lis

See website for additional hardware options.









Garage Door Design Center

To see this door on your home, visit wayne-dalton.com, or download our app, and try our Garage Door Design Center. Upload a photo of your home and experiment with panel designs, color options, window styles and decorative hardware designs. Instant curb appeal awaits you with just a click of your mouse.



DISTRIBUTED BY:

2501 S. State Hwy. 121 Bus., Ste 200 Lewisville, TX 75067

wayne-dalton.com













